



Republic of the Philippines
Office of the President
Philippine Sports Commission

INVITATION TO BID FOR THE

Supply and Delivery of Hospital Equipment for the Comprehensive Modernization of Medical and Scientific Athlete Services (MSAS) Lot XIII

1. The Philippine Sports Commission under the General Appropriations Fund through Board Resolution No. 562-2017 intends to apply the sum of Six Million Five Hundred Eighty Seven Thousand Five Hundred Pesos (P6,587,500.00) being the Approved Budget for the Contract (ABC) to payments under the contract for *Supply and Delivery of Hospital Equipment for the Comprehensive Modernization of Medical and Scientific Athletic Services (MSAS) Lot XIII*.

Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The Philippine Sports Commission now invites bids for *Supply and Delivery of Hospital Equipment for the Comprehensive Modernization of Medical and Scientific Athletic Services (MSAS) Lot XIII*. Delivery of the Goods is required within sixty (60) days from the date of receipt by the winning bidder of the NTP. Bidders should have completed, within 3 years from the date of submission and receipt of bids, a contract similar to the project which is at least fifty percent (50%) of the ABC. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act".
4. Bidding is restricted to Filipino Citizens/Sole Proprietorships, Partnerships, or Organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens pursuant to RA 5183 and subject to Commonwealth Act-138.
5. Interested Bidders may obtain further information from the Philippine Sports Commission and inspect the Bidding documents at the address given below during office hours:

*Office of the BAC Secretariat, c/o Office of the BAC Chairman,
 4/F Administrative Building, Rizal Memorial Sports Complex
 P. Ocampo Sr. St., Malate, Manila
 525-4933*

6. A complete set of Bidding Documents may be acquired by interested Bidders on 23 October 2017 from the address above upon payment of the bidding documents in the amount of *Ten Thousand Pesos (Php10,000.00)*:

7. The Philippine Sports Commission will hold a Pre-Bid Conference on *30 October 2017, 10:00AM* at *BAC Bidding Room Ground Floor Administrative Building, Rizal Memorial Sports Complex P. Ocampo Sr. St., Malate Manila*, which shall be open to prospective bidders.
8. Submission of bids shall be on *14 November 2017 from 8:00 AM to 9:30 AM* at the *BAC Bidding Room Ground Floor Administrative Building, Rizal Memorial Sports Complex P. Ocampo Sr. St., Malate Manila*. Opening of bids shall be on the same day, *14 November 2017 at 10:00 AM* at the *BAC Bidding Room Ground Floor Administrative Building, Rizal Memorial Sports Complex P. Ocampo Sr. St., Malate Manila*. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 18. Late bids shall not be accepted.
9. The Philippine Sports Commission reserves the right to reject any and all bids, declare a failure of bidding at any time prior to contract award, without thereby incurring any criminal, civil, or administrative liability, regardless of the outcome of the bidding process or not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.


ATTY. SANNAH B. FRIVALDO
Chairperson
Bids and Awards Committee

SECTION III. BID DATA SHEET

ITB Clause	
1.1	The Procuring Entity is <i>Philippine Sports Authority</i>
1.2	The lot(s) and reference is/are: Invitation to Bid No. 2017-10.13. <i>Supply and Delivery of Hospital Equipment for the Comprehensive Modernization of Medical and Scientific Athletic Services (MSAS) Lot XIII.</i>
2	The Funding Source is: The Government of the Philippines (GOP) through the General Appropriations Fund in the amount of Six Million Five Hundred Eighty Seven Thousand Five Hundred Pesos (₱6,587,500.00). The name of the Project is <i>Supply and Delivery of Hospital Equipment for the Comprehensive Modernization of Medical and Scientific Athletic Services (MSAS) Lot XIII.</i>
3.1	No further instructions.
5.1	No further instructions.
5.2	None of the circumstances mentioned in the ITB Clause exists in this Project. Foreign bidders, except those falling under ITB Clause 5.2(b), may not participate in this Project.
5.4	The Bidder must have completed, within three (3) years a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC. For this purpose, similar contracts shall refer to supply and delivery of medical equipment.
7	No further instructions.
8.1	Subcontracting is not allowed.
8.2	Not applicable.
9.1	The Procuring Entity will hold a pre-bid conference for this Project on 30 November 2017 at 10:00 AM at the Bidding Room, Ground Flr., PSC Administrative Building, Rizal Memorial Sports Complex, Pablo Ocampo Sr., Street, Malate, Manila.
10.1	The Procuring Entity's address is: Philippine Sports Commission, Rizal Memorial Sports Complex, Pablo Ocampo Sr., Street, Malate, Manila. <i>Contact Person: Atty. SANNAH R. FRIVALDO c/o Office of the BAC Chairperson, 4th Flr Administrative Bldng., Rizal Memorial Sports Complex P. Ocampo Sr. St Malate Manila Tel. No. 525-4933</i>
12.1	The first envelope shall contain the original or official certified true copy of the eligibility and technical requirements. Additional technical documents:

	<p>1. Authority of the signatory, duly notarized, to participate in the bidding at hand:</p> <ul style="list-style-type: none"> i. For Single Proprietorship – Special Power of Attorney (SPA) issued by ownership/proprietor. ii. For Partnership – Partnership resolution issued by the General Partner or President of the Partnership. iii. For Corporation – Secretary’s Certificate and Board Resolution. iv. For Joint Venture – Board Resolution of each JV Partner.
12.1(a)(ii)	Sworn statement of all ongoing government and private contracts shall include all such contracts within three (3) years prior to the deadline for the submission and receipt of bids.
13.1	No additional requirements.
13.1 (b)	No additional requirements.
13.1(c)	No further instructions.
13.2 (a)	No further instructions.
13.2 (b)	No further instructions.
15.4(a)(iv)	No incidental services required.
15.4(b)(i)	Not applicable
15.1 b (ii)	Not applicable
16.1 (b)	The Bid Prices for Goods supplied from outside the Philippines shall be quoted in Philippine Peso
16.3	No further instructions
17.1	Bids shall be valid for one hundred twenty (120) calendar days from 14 November 2017.
18. 1	<p>The bid security shall be in the following amount:</p> <ul style="list-style-type: none"> 1. The amount of <i>2% of ABC</i>, if bid security is in cash, cashier’s/manager’s check, bank draft/guarantee or irrevocable letter of credit; 2. The amount of <i>5% of ABC</i> if bid security is in Surety Bond; or
18.2	The bid security shall be valid for one hundred twenty days from 14 November 2017.
20.3	Each Bidder shall submit <i>one</i> original and <i>two duplicate</i> copies of the first and second components of its bid.
21	<p>The address for submission of bids is Office of the BAC Secretariat, c/o Office of the BAC Chairman, 4thFlr., Administrative Bldg., Rizal Memorial Sports Complex, P.Ocampo Sr., St., Malate, Manila.</p> <p>The deadline for submission of bids is 14 November 2017, from 8:00AM to 9:30AM.</p>
24. 1	The place of bid opening is BAc Bidding Room, GrndFlr., Administrative

	Bldg., Rizal Memorial Sports Complex, P Ocampo Sr., St., Malate, Manila. The date and time of bid opening is 14 November 2017 at 10:00AM.
24.2	No further instructions.
24.3	No further instruction
27.1	No further instructions.
28.3(a)	The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation and contract award.
28.3(b)	Bid modification is not allowed.
28. 4	No further instructions.
29.2	Only tax returns filed and taxes paid through the BIR Electronic Filing and Payment System (EFPS) shall be accepted. NOTE: The latest income and business tax returns are those within the last six months preceding the date of bid submission.
29.2 (d)	No other license or permit required.
32.4 (g)	No additional documents required.

Atty. SANNAH R. FRIVALDO
BAC Chairperson

SECTION V. SPECIAL CONDITIONS CONTRACT

GCC Clause	
1.1(i)	The Procuring Entity is <i>Philippine Sports Commission (PSC)</i>
1.1(j)	The Supplier is <i>[to be inserted at the time of contract award]</i> .
1.1(k)	The Funding Source is The Government of the Philippines (GOP) under the General Appropriations Fund through the Board Resolution No. 562-2017 in the amount of Six Million Five Hundred Eighty Seven Thousand Five Hundred Pesos (₱6,587,500.00).
5.1	The Project Sites are: Rizal Memorial Sports Complex P. Ocampo Sr. St., Malate, Manila
6.2	The Procuring Entity's address for Notices is: <i>Office of the BAC Secretariat, c/o Office of the BAC Chairman, 4/F Administration Building, Rizal Memorial Sports Complex P. Ocampo Sr. St., Malate, Manila 525-4933</i>
10.4	The winning bidder/supplier shall deliver the goods specified in Section VI (Schedule of Requirements) and Section VII (Technical Specification) to the Procuring Entity in prime condition.
13.4(c)	Not applicable.
16.1	No further instructions
17.3	No further instructions
17.4	Three (3) months after acceptance by the Procuring Entity of the delivered Goods or after the Goods are consumed, whichever is earlier.
21.1	The period for correction of defects in the warranty period is fifteen (15) days from notice of defect.

SECTION VI. SCHEDULE OF REQUIREMENTS

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	<p>Treadmill Side rails=Side rails Step-up Height == 24 cm / 9.5 inches Handrail Length (cm/inches) == 61 cm / 24 inches Roller Diameter (cm/inches) == 3.5 inches / 8.9 cm</p> <p>Power Cord Management == ICE 320-C19 inlet supporting Schuko and BSI plugs Maximum User Weight == 181 kg / 400 lbs Roller Size == Roller Size Stride Support Description == Stride Support Description Special Stride Support== Special Stride Support Shock Absorption Description == Shock Absorption Description Speed Range == 0.8 - 25.5 km/h / 0.5 - 16 mph Decline/Incline Range == - 3% decline to 15% incline in 0.5% increments Running Surface (L X W) 153 L x 56 W cm / 60 L x 22 W inches Equipment Dimensions & Weight Height with PVS == 198 cm / 78 inches Length == 83 inches / 211 cm Width == 35 inches / 89 cm Height == 157.5 cm / 62 inches Machine Weight (base equipment) (kg/lbs) == 190 kg / 420 lbs Delivery Dimensions & Weight</p>	1 Unit		

	<p>Length == Base - 234 cm / 92 inches Width == Base - 99 cm / 39 inches Height == Base - 60 cm / 23.5 inches Delivery Weight == Base - 197 kg / 434 lbs Length 2 (cm/inches) == Dash - 107 cm / 42 inches Width 2 (cm/inches) == Dash - 100 cm / 39.5 inches Height 2 (cm/inches) == Dash - 61 cm / 24 inches Power Requirements Equipment Powered International 240 VAC === IEC 320-C19 inlet supporting applicable country-specific power cord U.S. & Canada 240 VAC === Dedicated 220V-240V/20A circuit with 6-20R NEMA receptacle U.S. & Canada 120 VAC === Dedicated 120V/20A circuit with 5-20R NEMA receptacle Personal Viewing Screen (PVS) === Powered Cord Length (ft / meters) === 3.7 m / 12</p>			
2	<p>Ice Maker with 5 stage water filter system UD-0312A Diced Sized Cube / Air Cooled W x D x H === 30" x 28" x 38 1/2" 76.2cm x 71.1cm x 97.8cm Weight === lb kg Power Output === 0.00 N/A Primary Power Input === 115-120 V x 60 Hz x 1 PH UY-0314A Half Diced Sized Cube / Air Cooled W x D x H === 30" x 28" x 38 1/2" 76.2cm x 71.1cm x 97.8cm Weight === lb/ kg Power Output === 0.00 N/A Primary Power Input === 115-120 V x 60 Hz x 1 PH</p>	2 units		
3	Stallbars	2 units		

	<p>Multipurpose bars, Dimensions: Height = 7 feet, 10 1/2 inches Width = 2 feet, 11 1/2 inches The projection of the chin up bar in working position is 29.9 inches. Weight capacity 330 lbs.</p>			
4	<p>Balancing Exerciser Vestibular Disc 60 cm / 23.6" in diameter - Size: 35cm / 13.8" Small and 60 cm / 23.6" Large - Inflates from 1" to 2" - Cover for the vestibular disk</p>	4 units		
5	<p>Biomechanical Ankle Platform System (BAPS) Board Balance Board System Baps* Clinical Model Balance Board, Motion Limiter, 5 Ball Attachments, Wall Rack Storage System, Four 2-1/2 Pound Weight Plates, Two Weight Rods, User Manual Blue - Board, Baps Clinic Model W/Weight Plates/Rods - Sammons Preston</p>	3 units		
6	<p>Mulligan belts 8 foot, blue nylon belt used to mobilise the patient while movement occurs. The belt can be adjusted with one hand and has a side release plastic buckle</p>	5 pcs		
7	<p>Ventosa Cups 24-pc set Ventosa Kit Chinese Cupping Therapy 2 x 6.0 cm (Inner diameter), 2 x 5.0 cm (Inner diameter), 2 x 4.2 cm (Inner diameter), 2 x 3.5 cm (Inner diameter), 2 x 2.5 cm (Inner diameter), 2 x 1.8 cm (Inner diameter) North Pole Magnetic Needles South Pole Magnetic Needles, Composed of vacuum cup, vacuum gun, scraping board and adaptors 1 x Connector Tube, 1 x Suction Pump, 1 x English-Chinese Manual Instruction</p>	25 Sets		
8	<p>Edge tool for Physical Therapy</p>	5 pcs		

	size: 4" x 3" material: stainless steel			
9	Steel Racking System •Description: Steel Shelf Racking System can be made according to client's specs • Features: Multi Height, Distance of Shelves and Different Size Abilities for Fitting • Size: H72" x L36" x W18" • DURABLE ~ COMMERCIAL GRADE ~ EASY HANDLING ~ MULTI PURPOSE	2 racks		
10	Cabinet Tall steel locker with locks for equipment	2 units		
11	Cryocuff - Elbow cuff Size: Adult size	2 sets		
12	Cryocuff - Knee cuff Size: Adult size	2 sets		
13	Cryocuff - Ankle cuff Size: Adult size	2 sets		
14	Transcutaneous Electrical Nerve Stimulation 2-Channel unit TENS unit for pain relief. A dual-channel device with a clearly legible LCD screen. The result of developments in the field of pain relief with TENS and gives the patient control over chronic pain. Number of preset programs: 5 Includes: * 3444.334 Case * 3444.201 Cableset (2 cables) * 1427.77x User's Manual * 2 x Pairs of Rubber Electrodes * 2 x 1.5 V AA Non-Rechargeable Battery Technical Specifications: Numbers of channels: 2 (non-independent) Constant current: Up to a resistance of 1000 ohm	10 units		

	<p>Stimulation current/channel: 0-99,5 mA Golfvorm: Asymmetrical biphasic pulse, 100% compensated Numbers of pre-programmed programs: 5 Number of personal programs: 5 (PP1-PP5) Stimulation Forms: Conventional, Burst, Modulated frequency/pulse duration, Mixed frequency, Alternated modulated pulse duration, Intermitent Max. pulse: 400 is Max. frequency: 120 Hz Power: 2 x 1,5 V AA non- rechargeable or 2 x 1,2 V AA rechargeable batteries IRMS max/channel: 31 mA Dimensions: 120x50x30 mm Weight: 180</p>			
	<p>Anti-Gravity Treadmill Specifications: <u>SIZES</u> • Small: fits individuals from 5'0" (152cm) to 6'4" (193 cm); 18.5" (47 cm) width hip, 58" (147 cm) hip circumference. • Medium: fits individuals from 5'6" (168 cm) to 6'10" (208 cm); 18.5" (47 cm) hip width, 58" (147 cm) hip circumference. • Large: fits individuals from 6' (183 cm) to 7'4" (224 cm); 18.5" (47 cm) hip width, 58" (147 cm) hip circumference. <u>PERFORMANCE</u> • User weight capacity: 400 pounds (182 kg) • Body Weight Range Adjustment: as low as 20% of user's body weight, 1% increments • Running surface area: • 22 inches (56 cm) wide • 62 inches (158 cm) long • Speed range: • Forward 0 – 18 miles per hour (0 – 29 km/hr) • Reverse 0 – 10 miles per hour (0 – 16 km/hr) • Elevation: 0 - 15 % grade</p>	1 Unit		

	<p><u>DIMENSIONS</u></p> <ul style="list-style-type: none"> • Length: 94 inches (240 cm) • Width: 40 inches (102 cm) • Height: Small – 72” (183 cm), Medium – 75” (191 cm), Large – 78.5” (200 cm) • Weight: 1000 pounds (455 kg), approximately <p><u>RECOMMENDED ROOM DIMENSIONS</u></p> <p>Provide a footprint at least 12ft long by 8 ft wide for adequate spacing around the machine.</p> <p>Check ceiling height to ensure users won't hit when running at desired inclines, running surface is ~15” off the ground. 39</p> <p><u>ENVIRONMENTAL</u></p> <p>Operating Conditions:</p> <p>Ambient Temperature: 50°F to 84°F (10°C to 29°C)</p> <p>Relative Humidity: 20 to 95%</p> <p>Transportation & Storage Conditions:</p> <ul style="list-style-type: none"> • Temperature Range: 50°F to 120°F (10°C to 49°C) <ul style="list-style-type: none"> • Relative Humidity: 20 to 95% <p><u>ELECTRICAL RATINGS</u></p> <ul style="list-style-type: none"> • Power Requirements: <ul style="list-style-type: none"> • Recommended: 220 VAC 30A, 60 Hertz • Operational AC Voltage range; 200 - 240 VAC*, 50/60 Hz <p>*At values less than the recommended 220 volts, the ability of the system to reduce body weight to 20% may be compromised.</p> <ul style="list-style-type: none"> • Locate AlterG Anti-Gravity Treadmill® within 8ft of the electrical outlet. • Electrical Connection: 30 ampere circuit, NEMA L6-30R receptacle <ul style="list-style-type: none"> • International Configuration: The 			
--	--	--	--	--

	<p>appropriate plug should be attached to the power cord of the AlterG Anti-Gravity Treadmill® using the following wire connection scheme:</p> <ul style="list-style-type: none">• Blue Conductor: Neutral• Brown Conductor: Line• Ground Conductor: Green/Yellow <p>Room Requirements: LEAD Lined Dry Wall</p>			
--	---	--	--	--

SECTION VII. TECHNICAL SPECIFICATIONS

Item	Specification	Statement of Compliance
1	<p>Treadmill</p> <p>Side rails=Side rails</p> <p>Step-up Height == 24 cm / 9.5 inches</p> <p>Handrail Length (cm/inches) == 61 cm / 24 inches</p> <p>Roller Diameter (cm/inches) == 3.5 inches / 8.9 cm</p> <p>Power Cord Management == ICE 320-C19 inlet supporting Schuko and BSI plugs</p> <p>Maximum User Weight == 181 kg / 400 lbs</p> <p>Roller Size == Roller Size</p> <p>Stride Support Description === Stride Support Description</p> <p>Special Stride Support=== Special Stride Support</p> <p>Shock Absorption Description === Shock Absorption Description</p> <p>Speed Range === 0.8 - 25.5 km/h / 0.5 - 16 mph</p> <p>Decline/Incline Range === -3% decline to 15% incline in 0.5% increments</p> <p>Running Surface (L X W) 153 L x 56 W cm / 60 L x 22 W inches</p> <p>Equipment Dimensions & Weight</p> <p>Height with PVS === 198 cm / 78 inches</p> <p>Length ===83 inches / 211 cm</p> <p>Width === 35 inches / 89 cm</p> <p>Height == 157.5 cm / 62 inches</p> <p>Machine Weight (base equipment) (kg/lbs) == 190 kg / 420 lbs</p> <p>Delivery Dimensions & Weight</p>	<p>Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1 (a) (ii) and/or GCC Clause 2.1 (a) (ii).</p>

	<p>Length == Base - 234 cm / 92 inches Width == Base - 99 cm / 39 inches Height == Base - 60 cm / 23.5 inches Delivery Weight == Base - 197 kg / 434 lbs Length 2 (cm/inches) == Dash - 107 cm / 42 inches Width 2 (cm/inches) == Dash - 100 cm / 39.5 inches Height 2 (cm/inches) == Dash - 61 cm / 24 inches Power Requirements Equipment Powered International 240 VAC == IEC 320-C19 inlet supporting applicable country-specific power cord U.S. & Canada 240 VAC == Dedicated 220V- 240V/20A circuit with 6-20R NEMA receptacle U.S. & Canada 120 VAC == Dedicated 120V/20A circuit with 5-20R NEMA receptacle Personal Viewing Screen (PVS) == Powered Cord Length (ft / meters) == 3.7 m / 12</p>	
2	<p>Ice Maker with 5 stage water filter system UD-0312A Diced Sized Cube / Air Cooled W x D x H == 30" x 28" x 38 1/2" 76.2cm x 71.1cm x 97.8cm Weight == lb kg Power Output == 0.00 N/A Primary Power Input == 115-120 V x 60 Hz x 1 PH</p> <p>UY-0314A Half Diced Sized Cube / Air Cooled W x D x H == 30" x 28" x 38 1/2" 76.2cm x 71.1cm x 97.8cm Weight == lb/ kg Power Output == 0.00 N/A Primary Power Input == 115-120 V x 60 Hz x 1 PH</p>	
3	<p>Stallbars Multipurpose bars, Dimensions: Height = 7 feet, 10 1/2 inches Width = 2 feet, 11 1/2 inches The projection of the chin up bar in working position is 29.9 inches. Weight capacity 330 lbs.</p>	

4	<p>Balancing Exerciser Vestibular Disc 60 cm / 23.6" in diameter - Size: 35cm / 13.8" Small and 60 cm / 23.6" Large - Inflates from 1" to 2" - Cover for the vestibular disk</p>	
5	<p>Biomechanical Ankle Platform System (BAPS) Board</p> <p>Balance Board System Baps* Clinical Model Balance Board, Motion Limiter, 5 Ball Attachments, Wall Rack Storage System, Four 2-1/2 Pound Weight Plates, Two Weight Rods, User Manual Blue - Board, Baps Clinic Model W/Weight Plates/Rods - Sammons Preston</p>	
6	<p>Mulligan belts 8 foot, blue nylon belt used to mobilise the patient while movement occurs. The belt can be adjusted with one hand and has a side release plastic buckle</p>	
7	<p>Ventosa Cups 24-pc set Ventosa Kit Chinese Cupping Therapy 2 x 6.0 cm (Inner diameter), 2 x 5.0 cm (Inner diameter), 2 x 4.2 cm (Inner diameter), 2 x 3.5 cm (Inner diameter), 2 x 2.5 cm (Inner diameter), 2 x 1.8 cm (Inner diameter) North Pole Magnetic Needles South Pole Magnetic Needles, Composed of vacuum cup, vacuum gun, scraping board and adaptors 1 x Connector Tube, 1 x Suction Pump, 1 x English-Chinese Manual Instruction</p>	
8	<p>Edge tool for Physical Therapy</p> <p>size: 4" x 3" material: stainless steel</p>	
9	<p>Steel Racking System</p> <ul style="list-style-type: none"> •Description: Steel Shelf Racking System can be made according to client's specs • Features: Multi Height, Distance of Shelves and Different Size Abilities for Fitting • Size: H72" x L36" x W18" • DURABLE ~ COMMERCIAL GRADE ~ EASY HANDLING ~ MULTI PURPOSE 	
10	<p>Cabinet</p>	

	Tall steel locker with locks for equipment	
11	Cryocuff - Elbow cuff Size: Adult size	
12	Cryocuff - Knee cuff Size: Adult size	
13	Cryocuff - Ankle cuff Size: Adult size	
14	<p>Transcutaneous Electrical Nerve Stimulation 2-Channel unit</p> <p>TENS unit for pain relief. A dual-channel device with a clearly legible LCD screen. The result of developments in the field of pain relief with TENS and gives the patient control over chronic pain. Number of preset programs: 5 Includes:</p> <ul style="list-style-type: none"> * 3444.334 Case * 3444.201 Cableset (2 cables) * 1427.77x User's Manual * 2 x Pairs of Rubber Electrodes * 2 x 1.5 V AA <p>Non-Rechargeable Battery Technical Specifications: Numbers of channels: 2 (non-independent) Constant current: Up to a resistance of 1000 ohm Stimulation current/channel: 0-99,5 mA Pulse form: Asymmetrical biphasic pulse, 100% compensated Numbers of pre-programmed programs: 5 Number of personal programs: 5 (PP1-PP5) Stimulation Forms: Conventional, Burst, Modulated frequency/pulse duration, Mixed frequency, Alternated modulated pulse duration, Intermittent Max. pulse: 400 μs Max. frequency: 120 Hz Power: 2 x 1,5 V AA non-rechargeable or 2 x 1,2 V AA rechargeable batteries IRMS max/channel: 31 mA Dimensions: 120x50x30 mm Weight: 180</p>	
15	Anti-Gravity Treadmill	

Specifications:**SIZES**

- Small: fits individuals from 5'0" (152cm) to 6'4" (193 cm); 18.5" (47 cm) width hip, 58" (147 cm) hip circumference.
- Medium: fits individuals from 5'6" (168 cm) to 6'10" (208 cm); 18.5" (47 cm) hip width, 58" (147 cm) hip circumference.
- Large: fits individuals from 6' (183 cm) to 7'4" (224 cm); 18.5" (47 cm) hip width, 58" (147 cm) hip circumference.

PERFORMANCE

- User weight capacity: 400 pounds (182 kg)
- Body Weight Range Adjustment: as low as 20% of user's body weight, 1% increments
- Running surface area:
 - 22 inches (56 cm) wide
 - 62 inches (158 cm) long
- Speed range:
 - Forward 0 – 18 miles per hour (0 – 29 km/hr)
 - Reverse 0 – 10 miles per hour (0 – 16 km/hr)
- Elevation: 0 - 15 % grade

DIMENSIONS

- Length: 94 inches (240 cm)
- Width: 40 inches (102 cm)
- Height: Small – 72" (183 cm), Medium – 75" (191 cm), Large – 78.5" (200 cm)
- Weight: 1000 pounds (455 kg), approximately

RECOMMENDED ROOM DIMENSIONS

Provide a footprint at least 12ft long by 8 ft wide for adequate spacing around the machine.

Check ceiling height to ensure users won't hit when running at desired inclines, running surface is ~15" off the ground. 39

ENVIRONMENTAL

Operating Conditions:

Ambient Temperature: 50°F to 84°F (10°C to 29°C)

Relative Humidity: 20 to 95%

<p>Transportation & Storage Conditions:</p> <ul style="list-style-type: none"> • Temperature Range: 50°F to 120°F (10°C to 49°C) <ul style="list-style-type: none"> • Relative Humidity: 20 to 95% <p><u>ELECTRICAL RATINGS</u></p> <ul style="list-style-type: none"> • Power Requirements: <ul style="list-style-type: none"> • Recommended: 220 VAC 30A, 60 Hertz • Operational AC Voltage range; 200 - 240 VAC*, 50/60 Hz <p>*At values less than the recommended 220 volts, the ability of the system to reduce body weight to 20% may be compromised.</p> <ul style="list-style-type: none"> • Locate AlterG Anti-Gravity Treadmill® within 8ft of the electrical outlet. • Electrical Connection: 30 ampere circuit, NEMA L6-30R receptacle • International Configuration: The appropriate plug should be attached to the power cord of the AlterG Anti-Gravity Treadmill® using the following wire connection scheme: <ul style="list-style-type: none"> • Blue Conductor: Neutral • Brown Conductor: Line • Ground Conductor: Green/Yellow <p>Room Requirements: LEAD Lined Dry Wall</p>	
---	--