



Republic of the Philippines
Office of the President
Philippine Sports Commission

INVITATION TO BID FOR THE

**SUPPLY AND DELIVERY OF AUTOMATED EXTERNAL DEFIBRILLATOR
(OUTDOOR TYPE) FOR THE USE OF PHILIPPINE SPORTS INSTITUTE**

1. The Philippine Sports Commission (PSC) under the National Sports Development Fund intends to apply the sum of Three Million Seven Hundred Fifty Thousand Pesos (₱3,750,000.00) being the Approved Budget for the Contract (ABC) to payments under the contract for *Supply and Delivery Automated External Defibrillator (Outdoor Type) for the Use of the Philippine Sports Institute*.

Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The Philippine Sports Commission now invites bids for *Supply and Delivery Automated External Defibrillator (Outdoor Type) for the Use of the Philippine Sports Institute*. Delivery of the Goods is required within sixty (60) days from the date of receipt by the winning bidder of the NTP. Bidders should have completed, within 3 years from the date of submission and receipt of bids, a contract similar to the project which is at least fifty percent (50%) of the ABC. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II. Instructions to Bidders.
3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) 9184, otherwise known as the "Government Procurement Reform Act".
4. Bidding is restricted to Filipino Citizens/Sole Proprietorships, Partnerships, or Organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens pursuant to RA 5183 and subject to Commonwealth Act 138.
5. Interested Bidders may obtain further information from the Philippine Sports Commission and inspect the Bidding documents at the address given below during office hours:

*Office of the BAC Secretariat, c/o Office of the BAC Chairman,
4/F Administration Building, Rizal Memorial Sports Complex
P. Ocampo Sr. St., Malate, Manila
525-4933*

6. A complete set of Bidding Documents may be acquired by interested Bidders on 23 October 2017 from the address above upon payment of the bidding documents in the amount of Five Thousand Pesos (₱5,000.00):
7. The Philippine Sports Commission will hold a Pre-Bid Conference on 30 October 2017, 10:00AM at BAC Bidding Room Ground Floor Administrative Building, Rizal Memorial

Sports Complex P. Ocampo Sr. St., Malate Manila, which shall be open to prospective bidders.

8. Submission of bids shall be on *14 November 2017 from 8:00 AM to 9:30 AM* at the *BAC Bidding Room Ground Floor Administrative Building, Rizal Memorial Sports Complex P. Ocampo Sr. St., Malate Manila*. Opening of bids shall be on the same day, *14 November 2017 at 10:00 AM* at the *BAC Bidding Room Ground Floor Administrative Building, Rizal Memorial Sports Complex P. Ocampo Sr. St., Malate Manila*. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 18. Late bids shall not be accepted.
9. The Philippine Sports Commission reserves the right to reject any and all bids, declare a failure of bidding at any time prior to contract award, without thereby incurring any criminal, civil, or administrative liability, regardless of the outcome of the bidding processor not award the contract at any time prior to contract award in accordance with Section 41 of RA 9184 and its IRR, without thereby incurring any liability to the affected bidder or bidders.


ATTY. SANNAH B. FRIVALDO
Chairperson
Bids and Awards Committee

SECTION III. BID DATA SHEET

ITB Clause	
1.1	The Procuring Entity is <i>Philippine Sports Authority</i>
1.2	The lot(s) and reference is/are: Invitation to Bid No. 2017-10.22. <i>Supply and Delivery Automated External Defibrillator (Outdoor Type) for the Use of the Philippine Sports Institute.</i>
2	The Funding Source is: The Government of the Philippines (GOP) through the National Sports Development Fund in the amount of Seven Million Four Hundred Sixty Five Thousand Pesos (Php 3,750,000.00) . The name of the Project is: <i>Supply and Delivery Automated External Defibrillator (Outdoor Type) for the Use of the Philippine Sports Institute.</i>
3.1	No further instructions.
5.1	No further instructions.
5.2	None of the circumstances mentioned in the ITB Clause exists in this Project. Foreign bidders, except those falling under ITB Clause 5.2(b), may not participate in this Project.
5.4	The Bidder must have completed, within three (3) years a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC. For this purpose, similar contracts shall refer to supply and delivery of medical equipment.
7	No further instructions.
8.1	Subcontracting is not allowed.
8.2	Not applicable.
9.1	The Procuring Entity will hold a pre-bid conference for this Project on 30 November 2017 at 10:00 AM at the Bidding room, Ground Flr., PSC Administrative Building, Rizal Memorial Sports Complex, Pablo Ocampo Sr., Street, Malate, Manila.
10.1	The Procuring Entity's address is: Philippine Sports Commission, Rizal Memorial Sports Complex, Pablo Ocampo Sr., Street, Malate, Manila. <i>Contact Person: Atty. SANNAH R. FRIVALDO c/o Office of the BAC Chairperson, 4th Flr Administrative Bldng., Rizal Memorial Sports Complex P. Ocampo Sr. St Malate Manila Tel. No. 525-4933</i>
12.1	The first envelope shall contain the original or official certified true copy of the eligibility and technical requirements. Additional technical documents:

	<p>1. Authority of the signatory, duly notarized, to participate in the bidding at hand:</p> <ul style="list-style-type: none"> i. For Single Proprietorship – Special Power of Attorney (SPA) issued by ownership/proprietor. ii. For Partnership – Partnership resolution issued by the General Partner or President of the Partnership. iii. For Corporation – Secretary’s Certificate and Board Resolution. iv. For Joint Venture – Board Resolution of each JV Partner.
12.1(a)(ii)	Sworn statement of all ongoing government and private contracts shall include all such contracts within three (3) years prior to the deadline for the submission and receipt of bids.
13.1	No additional requirements.
13.1 (b)	No additional requirements.
13.1(c)	No further instructions.
13.2 (a)	No further instructions.
13.2 (b)	No further instructions.
15.4(a)(iv)	No incidental services required.
15.4(b)(i)	Not applicable
15.1 b (ii)	Not applicable
16.1 (b)	The Bid Prices for Goods supplied from outside the Philippines shall be quoted in Philippine Peso
16.3	No further instructions
17.1	Bids shall be valid for one hundred twenty (120) calendar days from 14 November 2017.
18. 1	<p>The bid security shall be in the following amount:</p> <ul style="list-style-type: none"> 1. The amount of <i>2% of ABC</i>, if bid security is in cash, cashier’s/manager’s check, bank draft/guarantee or irrevocable letter of credit; 2. The amount of <i>5% of ABC</i> if bid security is in Surety Bond; or
18.2	The bid security shall be valid for one hundred twenty days from 14 November 2017.
20.3	Each Bidder shall submit <i>one</i> original and <i>two duplicate</i> copies of the first and second components of its bid.
21	<p>The address for submission of bids is Office of the BAC Secretariat, c/o Office of the BAC Chairman, 4th Flr., Administrative Bldg., Rizal Memorial Sports Complex, P. Ocampo Sr., St., Malate, Manila.</p> <p>The deadline for submission of bids is 14 November 2017, from 8:00AM to 9:30AM.</p>
24. 1	The place of bid opening is BAC Bidding Room, Grnd Flr., Administrative

	Bldg., Rizal Memorial Sports Complex, P Ocampo Sr., St., Malate, Manila. The date and time of bid opening is 14 November 2017 at 10:00AM.
24.2	No further instructions.
24.3	No further instruction
27.1	No further instructions.
28.3(a)	The goods are grouped in a single lot and the lot shall not be divided into sub-lots for the purpose of bidding, evaluation and contract award.
28.3(b)	Bid modification is not allowed.
28.4	No further instructions.
29.2	Only tax returns filed and taxes paid through the BIR Electronic Filing and Payment System (EFPS) shall be accepted. NOTE: The latest income and business tax returns are those within the last six months preceding the date of bid submission.
29.2 (d)	Only tax returns filed and taxes paid through the BIR Electronic Filing and Payment System (EFPS) shall be accepted. NOTE: The latest income and business tax returns are those within the last six months preceding the date of bid submission.
32.4 (g)	

(SGD)
Atty. SANNAH R. FRIVALDO
 BAC Chairperson

SECTION V. SPECIAL CONDITIONS CONTRACT

GCC Clause	
1.1(i)	The Procuring Entity is <i>Philippine Sports Commission (PSC)</i>
1.1(j)	The Supplier is <i>[to be inserted at the time of contract award]</i> .
1.1(k)	The Funding Source is The Government of the Philippines (GOP) under the General Appropriations Fund through the Board Resolution No. 1118-2017 in the amount of Three Million Seven Hundred Fifty Thousand Pesos (₱3,750,000.00).
5.1	The Project Sites are: Rizal Memorial Sports Complex P. Ocampo Sr. St., Malate, Manila
6.2	The Procuring Entity's address for Notices is: <i>Office of the BAC Secretariat, c/o Office of the BAC Chairman, 4/F Administration Building, Rizal Memorial Sports Complex P. Ocampo Sr. St., Malate, Manila 525-4933</i>
10.4	The winning bidder/supplier shall deliver the goods specified in Section VI (Schedule of Requirements) and Section VII (Technical Specification) to the Procuring Entity in prime condition.
13.4(c)	Not applicable.
16.1	No further instructions
17.3	No further instructions
17.4	Three (3) months after acceptance by the Procuring Entity of the delivered Goods or after the Goods are consumed, whichever is earlier.
21.1	The period for correction of defects in the warranty period is fifteen (15) days from notice of defect.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item Number	Description	Quantity	Total	Delivered, Weeks/Months
1	<p>AUTOMATED EXTERNAL DEFIBRILLATOR (OUTDOOR TYPE)</p> <p>Physical With Pad-Pak Inserted Size: 20cm x 18.4cm x 4.8cm (8.0in x 7.25in x 1.9in) Weight: 1.1 kg (2.4 lbs.) including pad-pak battery</p> <p>Defibrillator Waveform: Self-Compensating Output Pulse Envelope (SCOPE) Biphasic waveform. Optimized biphasic escalating waveform compensates energy, slope and envelope for patient impedance.</p> <p>Patient Analysis System Method: Evaluates patients ECG, signal quality, electrode contact I integrity and patient impedance to determine if defibrillation is required. Sensitivity/Specificity: Meets ISO 60601—2-4 and AAMI DF80</p> <p>Environmental Operating/Standby T Temperature: 0°C to 50°C (+32°F to +122°F) Temporary Transportation Temperature: -10°C to 50°C (14°F to 22°F) for up to two days. Unit must be returned to standby/operating temperature for 24hours before use.</p>	5 sets		

Relative Humidity: 5% to 95% (non-condensing)
Water resistance: IEC 60529/EN 60529 IP56
Altitude: 0-4,575 meters (0 to 15,000 feet)
Shock: MIL STD 810F Method 516.5 Procedure 1 (40G's) MIL STD 810F Method 514.5+
Vibration: Category 4 truck transportation-US highways Category 7 Aircraft-Jet 737 and General Aviation (Exposure)
EMC: EN 60601-1-2
Radiated Emissions: EN55011 Electrostatic discharge
RF Immunity: EN61000-4-3 Omhz-2.5ghz (10V/m) magnetic field
Immunity: EN61000-4-861000-4-3 Omhz-2.5ghz (10V/m) magnetic field
Immunity: EN61000-4-8 (3 A/m)
Aircraft: RTCA/DO-160F, Section 21 (Category M)
Falling Height: 1 meter (3.3 feet)

Energy Selection

Adult: Shock 1:150j, shock2:150j, shock3:200j
Pediatric: Shock 1:50j, shock 2:50j, shock 3:50j

Charging Time

New Battery: Typically 150j in <8 seconds, 200j in <12 seconds
After Discharges: Typically 150j <8 seconds, 200j in <12 seconds

Event Documentation

Type: Internal Memory
Memory Capacity: 90 minutes of ECG (full disclosure) and event/incident recording
Playback Capabilities: Custom USB cable directly connected to PC and Saver™ EVO

	<p>Windows based data review software</p> <p>Materials used Samaritan®PAD500P:ABS, Snatoprene, Printed circuit board with electronic components</p> <p>Housing: ABS-Electrodes: Hydrogel, Silver, Aluminum and Polyester Pad-Pak Electrode and Battery Cartridge</p> <p>Adult Pad-Pak (Pad-Pak)3) and Pediatric Pad-Pak (Pad-Pak-04)</p> <p>Shelf Life: 4 years from manufacture date</p> <p>Weight: 0.2kg (0.44lbs.)</p> <p>Size: 10cm x 13.3cm x 2.4cm (3.93in x5.24inx.94in)</p> <p>Battery Type: Lithium Manganese Dioxide (liMnO2)</p> <p>Capacity:<60 shocks at 200j 18V, 1.5AMP Hrs</p> <p>Electrodes: Disposable defibrillation pads are supplied as standard for each device</p> <p>Placement: Anterior-lateral (Adult);Anterior-Posterior (Pediatric)</p> <p>Active Gel Area: 100cm2 (15.1in2)</p> <p>Cable Length: 1 meter (3.3 feet)</p>			
2	<p>AUTOMATED EXTERNAL DEFIBRILLATOR (Regular Type)</p> <p>Backlit LCD Screen</p> <p>Soft Carry Case</p> <p>Rugged over-molded outer housing</p> <p>Multi patient internal memory</p> <p>IrDa Port</p> <p>CPR D padz one piece electrode pad with Real CPR Help</p> <p>ED PRO 3-lead ECG Cable</p> <p>AED PRO non-rechargeable Lithium Battery Pack</p>	10 sets		

Section VII. Technical Specifications

Item	Specification	Statement of Compliance
1	<p>AUTOMATED EXTERNAL DEFIBRILLATOR (OUTDOOR TYPE)</p> <p>Physical With Pad-Pak Inserted Size: 20cm x 18.4cm x 4.8cm (8.0in x 7.25in x 1.9in) Weight: 1.1 kg (2.4 lbs.) including pad-pak battery</p> <p>Defibrillator Waveform: Self-Compensating Output Pulse Envelope (SCOPE) Biphasic waveform. Optimized biphasic escalating waveform compensates energy, slope and envelope for patient impedance.</p> <p>Patient Analysis System Method: Evaluates patients ECG, signal quality, electrode contact I integrity and patient impedance to determine if defibrillation is required. Sensitivity/Specificity: Meets ISO 60601—2-4 and AAMI DF80</p> <p>Environmental Operating/Standby T Temperature: 0°C to 50°C (+32°F to +122°F) Temporary Transportation Temperature: -10°C to 50°C (14°F to 22°F) for up to two days. Unit must be returned to</p>	<p>Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause 3.1 (a) (ii) and/or GCC Clause 2.1 (a) (ii).</p>

standby/operating temperature for 24hours before use.

Relative Humidity: 5% to 95% (non-condensing)

Water resistance: IEC 60529/EN 60529 IP56

Altitude: 0-4,575 meters (0 to 15,000 feet)

Shock: MIL STD 810F Method 516.5 Procedure 1 (40G's) MIL STD 810F Method 514.5+

Vibration: Category 4 truck transportation-US highways
Category 7 Aircraft-Jet 737 and General Aviation (Exposure)

EMC: EN 60601-1-2

Radiated Emissions: EN55011
Electrostatic discharge

RF Immunity: EN61000-4-3
0.1-2.5ghz (10V/m) magnetic field

Immunity: EN61000-4-8
0.1-2.5ghz (10V/m) magnetic field

Immunity: EN61000-4-8 (3 A/m)
Aircraft: RTCA/DO-160F, Section 21 (Category M)

Falling Height: 1 meter (3.3 feet)

Energy Selection

Adult: Shock 1:150j, shock2:150j, shock3:200j

Pediatric: Shock 1:50j, shock 2:50j, shock 3:50j

Charging Time

New Battery: Typically 150j in <8 seconds, 200j in <12 seconds

After Discharges: Typically 150j <8 seconds, 200j in <12 seconds

Event Documentation

Type: Internal Memory

Memory Capacity: 90 minutes of ECG (full disclosure) and event/incident recording

Playback Capabilities: Custom USB cable directly connected to PC and Saver™ EVO

Windows based data review software

Materials used

Samaritan®PAD500P:ABS,

Snatoprene, Printed circuit board with electronic components

	<p>Housing: ABS-Electrodes: Hydrogel, Silver, Aluminum and Polyester Pad-Pak Electrode and Battery Cartridge Adult Pad-Pak (Pad-Pak)3) and Pediatric Pad-Pak (Pad-Pak-04) Shelf Life: 4 years from manufacture date Weight: 0.2kg (0.44lbs.) Size: 10cm x 13.3cm x 2.4cm (3.93in x5.24inx.94in) Battery Type: Lithium Manganese Dioxide (liMnO2) Capacity:<60 shocks at 200j 18V, 1.5AMP Hrs Electrodes: Disposable defibrillation pads are supplied as standard for each device Placement: Anterior-lateral (Adult);Anterior-Posterior (Pediatric) Active Gel Area: 100cm2 (15.1in2) Cable Length: 1 meter (3.3 feet)</p>	
2	<p>AUTOMATED EXTERNAL DEFIBRILLATOR (Regular Type) Backlit LCD Screen Soft Carry Case Rugged over-molded outer housing Multi patient internal memory IrDa Port CPR D padz one piece electrode pad with Real CPR Help ED PRO 3-lead ECG Cable AED PRO non-rechargeable Lithium Battery Pack</p>	