



Republic of the Philippines
Office of the President

PHILIPPINE SPORTS COMMISSION

REQUEST FOR QUOTATION

The Philippine Sports Commission, through its Bids & Awards Committee, invites interested **PHILGEPS-accredited** suppliers to submit **SEALED** signed quotation/s for:

Particular	Quantity				ABC (PHP)	Place of Delivery		
Supply and Delivery of Audio and Visual Equipment for Public Communication Office	<u>Description</u>							
	<u>Qty</u> <u>Unit</u> <u>Unit Cost</u> <u>Total Cost</u>							
	Lot 1				343,011.15			
	1	Drone Camera	1	unit	114,399.63	114,399.63	369,862.16	Property and Supplies Office, Rizal Memorial Sports Complex, P. Ocamp o Sr. St. Malate Manila.
		>Sensor: 1 CMOS Effective Pixels: 20 million FOV: about 77° >Lens: 35mm Format Equivalent: 28mm Aperture: f/2.8-f/11 Shooting Range: 1m to ∞ Video: 100-6400 >ISO Range: Photo 100-3200 (auto), 100-12800(manual) >Shutter Speed: Electronic shutter: 8-1/8000s >Still Image Size: 5472 x 3648 Singleshot Burst shooting: 3/5 frames >Still Photography Modes: Auto exposure bracketing (AEB): 3/5 bracketed frames at 0.7 EV Bias Interval (JPEG): 2/3/5/7/10/15/20/30/60s RAW: 5/7/10/15/20/30/60S) 4K: 3840 X 2160 24/25/30p >Video Resolution: 2.7K: 2688 X 1512 24/25/30/48/50/60p FHD: 1920 X 1080 24/25/30/48/50/60/120p >Max Video Bitrate: 100Mbps >Color Mode: Dlog-M (10bit), support HDR video (HLG 10bit) >Supported File System: FAT32 (≤ 32 GB) exFAT (> 32 GB) Photo Format: JPEG / DNG (RAW) Video Format: MP4 / MOV (MPEG-4 AVC/H.264, HEVC/H.265) Aircraft: Diagonal 354 ***more on the next page*** Distance Max Service Ceiling : Above Sea Level 6000m Max Flight Time 31 mins.						
	2	External Hard Drive, 2TB, Branded	2	units	6,783.33	13,566.66		
		Internal Interface: SATA (Unspecified) Type: Hard Disk Drive Form Factor: 2.5" External Enclosure Bus Power: USB						

	Cooling System: Passive Dimension: (LxWxH) 4.5 x 3.0 x 0.5" / 11.4 x 7.6 x 1.3cm Weight: 0.4 1b/181g Packaging Info Package Weight: 0.465 1b Box Dimensions (LxWxH) 5.8 x 4.05 x 1.25				
3	Action Camera, Branded >4k60/50, 2.7k120/100 & 1080P240/200 >12mp still photos with selectable HDR >Hypersmooth Video Stabilization >Direct live streaming to facebook live >TimeWarp Stabilized Time-Lapse Video >Waterproof to 33' without a housing >Vertical Portrait Mode for social media >Intuitive, smartphone - like touchscreen >Face, Smile and Scene Detection >16-Command Voice Control	1	unit	33,253.00	33,253.00
4	Branded Lens 55-250mm II >Lens type: Zoom lens >Focal Length: 55-250mm II >Image Stab: Yes (4stops) >Lens mounty Canon EF-S >Max Aperture: F4-5.6 >Min Apperture: F22 - 32 >Min Focus 1.10m (43.31") >Max magnification: 0.31 x >Weight: 390g (0.861b) >Length: 108mm	1	Unit	17,050.00	17,050.00
5	Branded Lens 10-18mm STM >Lens type: Zoom lens >Max Format size: APS-C/DX >Focal Length: 10-18mm >Image Stabilization: Yes >Lens mount; canon EF-S >Aperture - Maximum aperture: F4.5-5.6 Minimum aperture F22-29 Number of diaphragm blades: 7 >Optics: Elements: 14 Group: 11 >Special Elements/coating: UD lens elements and enhanced lens coating >Focus: Minimum Focus: 0.22m (8.66") Maximum magnification: 0.15x Full time manual: Yes Focus Method: Internal >Physical: Weight: 24g(0.53lb) Diameter: 75mm (2.94") Length: 72mm (2.83") Sealing: No Zoom Method; Rotary (internal) Filter thread: 67mm Hood Supplied: No Hood Product code: EW-73 C	1	Unit	20,900.00	20,900.00
6	Microphone Lapel >Transducer: Electric condenser >Polar pattern: omni-directional >Frequency range: 65Hz -18KHz	1	unit	2,676.67	2,676.67

	<ul style="list-style-type: none"> >Sensitivity: -30dB +/-3dB/0dB=1V /Pa, 1KHz >Output impedance: 1000 Ohm or less >Connector: 3.5mm (1/8") 4 pole gold plug >Accessories included: lapel clip, LR44 battery, foam widescreen, 1/4 adapter >Battery type: LR44 >Dimension: Microphone: 18.00mmH x 8.30mmW x 8.30mmD Cable: 6.0m >Weight: Microphone: 2.5g >Power module: 18g 			
7	Videomic for Smartphones <ul style="list-style-type: none"> >Broadcast quality condenser Microphone >Rycote Lyre Shockmount >40 Hz to 20 kHz Frequency Response >Lightweight >Lower Noise and Higher Sensitivity >9V Battery Powered >1/8" Mini-Jack Output >Two-Step High Pass Filter >Three Position Level Control >Includes Camera Shoe Mount 	1 unit	17,233.33	17,233.33
8	Branded Camera 18-55mm DSLR <ul style="list-style-type: none"> >Sensor: Max Resolution: 6000 x 4000 Image ratio w:h 1:1, 4:3, 3:2, 16:9 Effective pixels: 24 megapixels Sensor photo detectors: 26 megapixel Sensor size: APS-C (22.3 X 14.9 mm) Sensor type: CMOS Processor: DIGIC7 >Image: ISO: AUTO, 100-25600 (EXPANDS TO 51200 Boosted ISO (maximum) 51200 White balance presets: 6 Custom white balance: Yes Image Stabilization: No Uncompressed format: RAW JPEG Quality levels: Fine, normal >Videography Features: <ul style="list-style-type: none"> Format MPEG - 4, h.264 Models:1920x1080 @ 60p/ 60 mpbs, MOV, H.264 PCM, 1920x1080@30p/ 12 mpbs, MOV, H.264, linear PCM 1280x720@60p/ 26 mpbs, MOV, H.264, linear PCM 1280x720@30p/ 4 mpbs, MOV, H.264, linear PCM >Microphone: Stereo >Speaker: Mono >Storage types: SD/SDHC/SDXC (UHS-I compatible >USB: USB 2.0 (480 mbit/sec) >HDMI: yes >Microphone port: yes > headphone port: no wireless: Built-in >Wireless notes: includes bluetooth LE and NFC >Remote control: Yes (via smartphone or Bluetooth) 	1 unit	58,665.57	58,665.57

>Physical: Environmentally sealed: No

Battery: Battery pack

Battery description : LP-E17
lithium-ion battery and charger

Battery life:(CIPA): 600

more on the next page

Weight (inc. batteries): 532g 91.17 lb/ 18.77
oz)

Dimensions: 131x100x76 mm
(5.16x3.94x2.99")

9	Branded Camera Flash 430ex III RT	1	unit	19,616.67	19,616.67
---	--	---	------	-----------	-----------

>2.4 GHz Wireless Radio Transmission

>Compatible with Canon E-TTL/E-TTL II

>Guide Number: 141' at ISO 100 and 105mm

>Zoom Range: 24-105mm (14mm with panel)

>Tilts Upward 90°

>Rotates 150° Right & 180° Left

>Multi Dial, Bounce Panel, & Color Filter

>Recycle Time: 0.1-3.5 Seconds

>High Speed, 1st & 2nd Curtain Sync

>Runs on 4 AA Batteries

10	Tripod for DSLR Camera, Branded	1	Unit	18,883.33	18,883.33
----	--	---	------	-----------	-----------

>Leg section: 5

>Material: Carbon fiber

>Max Height (mm): 1505

>normal height (mm): 1290

>Min. Height (mm): 395

>Folded Height (mm): 395

>Weight (kg): 1.37

>Max Load (kg): 8

11	Cleaning Kit for DSLR	1	unit	1,283.33	1,283.33
----	------------------------------	---	------	----------	----------

>1pc - Lens cleaner 10ml

>1pc - Lens cleaning cloth 10cm x 10cm

>1pc - Hurricane air blower

>2pcs - APS-C sensor cleaning swab 16mm

>1pack - Dustless cleaning rod 8pcs/pack

>2 pcs - Wet wipes, 50pcs - Lens paper

>1pc - Portable bag

12	Tripod for Tablet, Branded	1	Unit	14,116.30	14,116.30
----	-----------------------------------	---	------	-----------	-----------

>Weight Capacity: 5kgs

>Rubber Plastic

>Flexible tripod head for Pro camera/tablet

>Anodized aluminum construction

13	SDHC 32gb	4	pcs	1,760.00	7,040.00
----	------------------	---	-----	----------	----------

14	SDHC Micro 32gb	2	pcs	2,163.33	4,326.66
----	------------------------	---	-----	----------	----------

Lot 2

26,851.01

15	Foldable Shoulder Mount Stabilizer Branded	1	unit	5,898.37	5,898.37
----	---	---	------	----------	----------

Stabilization System for DSLR

>Lightweight design

At the same time, the bracket

more on the next page

solves the problems of tired for

a long time shooting

>It supports a variety of recording modes
and changes.

>Widely used in SLR video cameras, hand-
held video camera, etc.

Dimension and Weight:

	<p>>Package weight: 1.3250 kg >Package size (Lx W x H): 32.00 X 24.50 X 10.00 cm / 12.6 x 9.65 x 3.94 inches >Package Contents: 1 x shoulder rig, 1 x Hex Key >Wrench: Imperial 3/16</p>				
16	<p>Hard Case >Dimension Exterior: 625x420x340mm interior: 581x360x298mm Top/Bottom lid: 1pc wave foam Bottom lid: 4pcs pre-cut foam & 1 pc plain foam >Color: Black</p>	1	unit	9,350.00	9,350.00
17	<p>Camera Lens Hood for EW-73D Road Stunt Backpack for Action</p>	1	Unit	1,691.43	1,691.43
18	<p>Cam/CSC >Features: Table Pocket >Carrying/Transport Options: Backpack straps, sternum strap, Top Handle, Waist Belt >Camera Support Strap Tripod >Exterior Material Nylon >Type of Closure: Zipper >Water Resistance: Rain Cover >Weight 2.2 lb / 1.0 kg >Package Weight: 2.6 lb >Box Dimensions (LxWxH) 17.008 X 9.213 X 9.055"</p> <p>***Nothing Follows***</p> <p>Delivery Terms: 30 Calendar days</p>	1	Unit	9,911.21	9,911.21

The following documents must be submitted from September 20-26, 2019, 10:00 a.m. to the Office of Procurement located at 2nd floor, Administration Building, Rizal Memorial Sports Complex, Pablo Ocampo Sr. St. Malate Manila:

1. PHILGEPS Registration or PHILGEPS Certificate
2. ITR Form Year 2018 or Tax Clearance
3. Omnibus Sworn Statement (notarized)
4. Mayor's Permit

For additional information, please contact the Procurement Office at Telefax: 524-3512 or 525-0808 Loc. 175/143

The Commission reserves the right to not accept any and all quotations or not award the contract on the following grounds:

- There is prima facie evidence of collusion;
- The BAC failed to follow prescribed procurement procedures; and or
- There are justifiable grounds where the contract will not redound to the benefit of the government without incurring any liability to the affected bidder/s.


ATTY. GUILLERMO B. IROY, JR.
BAC Chairman

Date Posted on PHILGEPS and PSC website: September 20, 2019