



Republic of the Philippines
Office of the President

**PHILIPPINE SPORTS COMMISSION
BIDS AND AWARDS COMMITTEE SECRETARIAT**

BAC Room, Ground Floor, Administration Building, P. Ocampo Sr. St.,
Rizal Memorial Sports Complex, Malate, Manila

Telephone No.: 524-4408, local 186, Email address: pscbidsandawards@gmail.com

SUPPLEMENTAL BID BULLETIN NO. GS 0025-2019

July 30, 2019

The Philippine Sports Commission, through its Bids and Awards Committee, wishes to inform all prospective bidders participating in the public bidding of the projects titled:

	Project Title	ABC
1	Supply, Delivery and Installation of Endless Pool and Breath by Breath Analyzer (Lot 6) REBID	Php 36,000,000.00
2	Supply and Delivery of Sports Performance Testing Equipment for PSC Sports Physiology Unit (Lot 4) REBID	Php 40,307,200.00
3	Supply and Delivery of Sports Laboratory with Accessories for PSC Sports Physiology Unit (Lot 7) REBID	Php 35,000,000.00
4	Van Rental for Batang Pinoy 2019 National Championship (Lot 2) - Negotiated	Php 2,500,000.00
5	Supply and Delivery of Emergency Survival Kits for PSC Employees	Php 2,982,000.00
6	Supply and Delivery of Beddings for Dormitories Located at Rizal Memorial Sports Complex	Php 2,721,600.00
7	Supply and Delivery of Supplies and Equipment Management and Inventory System for Procurement, Property and Accounting Office Process Automation REBID	Php 3,600,000.00
8	Supply and Delivery of Various Appliances and Equipments for National Athletes and Coaches Dormitory	Php 1,660,076.00
9	Supply, Delivery and Installation of Outdoor LED Electronic Display for Rizal Memorial Sports Complex and Philsports Complex	Php 10,679,200.00
10	Supply and Delivery of Segregated Trashbin for all Venues of Rizal Memorial Sports Complex	Php 2,293,760.00

the following clarifications and additions:

1. We made modifications, revisions and changes on technical specifications for the above-mentioned projects to, wit:

a. That the on Supply, Delivery and Installation of Exercise Swimming Pool and Breath by Breath Analyzer (Lot 6) REBID,

Technical Specification

1 Lot Supply and Installation of Exercise Swimming Pool and Breath by Breath Analyzer each must consists of:

A. 2 units Exercise Swimming Pool

Pool Swimming Machine

- Its 7.5-hp pump with dual hydraulic motors drives two custom-designed propellers, moving more than double the water volume of our Original Endless Pool.
- The propellers' extra distance from the outlet grill (itself a spacious 24"x18") lets the current straighten, so you enjoy an ultra-smooth swim.
- 8' x 14' to 10' x 16' swimming area
- 39" standard water depth, 45" & 51" optional
- Modular steel construction
- 7.5-hp, two-motor, two-propeller swim current generator with wireless remote control
- 24" x 18" water outlet grill
- Reinforced acrylic water flow and conditioning system
- Three 59" x 18" stainless steel VGB compliant suction grills
- Poolside digital systems control
- High-efficiency circulating pump
- Skimmer filter (removable-cartridge type)
- 4-kW electric heater
- 220-volt, 50-amp power requirement
- Backstroke mirror
- Floor mirror for competitive swimmers

B. 1 unit Breath by Breath Gas Analyzer

CARDIO PULMONARY EXERCISE TEST SYSTEM (Stationary) 1 unit

Specifications

- Description: Cardio Pulmonary Exercise Tests System
- Application : Resting ECG Stress-test ECG
Cardiopulmonary Exercise Tests
Spirometry Indirect Calorimetry
- Measuring method : Breath-by-breath
- Construction : PC Based system with a dedicated trolley
Calibration syringe mounted to the trolley
Dedicated mount for a gas cylinder (2 l, 5 l, 10 l)
- Patient tubing Free of any electrical cables and connectors

- Flow sensor: without any moving parts
 - Single use or disinfectable
 - Flow measurement range : ± 1 /s
 - Accuracy of the flow measurement : $\pm\%$ or 50 ml/s
 - Resistance : 60 Pa/l/s @ 15 l/s
 - Volume measurement range : 15 l
 - Accuracy of the volume measurement : $\pm\%$ or 50 ml

- CO₂ sensor : NDIR: Non-dispersive Infra Red
 - Range : 0-10%
 - Accuracy : 0,05 %
 - Response time: T₉₀ : 130 ms
 - Measuring the environmental CO₂

- O₂ sensor : Electro-chemical cell
 - Range: 0-100%
 - Accuracy : 0,05%
 - Response time T₉₀ : 130 ms

- ECG Resting and stress ECG
 - Leads : 12 Standard
 - Digital resolution : 3,9 μ V
 - A/D Conversion : 13 bits
 - Sampling Frequency : 2000 Hz
 - Frequency response : 0,05 Hz - 170 Hz

- Measured and calculated parameters:
 - load
 - Metabolic equivalent of task
 - Minute Ventilation
 - Tidal Volume
 - Breath Frequency
 - Oxygen consumption
 - Maximal oxygen consumption
 - maximal oxygen consumption per body weight
 - Carbon dioxide production
 - Maximal carbon dioxide production
 - Oxygen Uptake Efficiency Slope
 - Respiratory exchange ratio
 - Resting Energy Expenditure
 - Exercise Energy Expenditure
 - Heart Rate
 - O₂ concentration
 - CO₂ concentration
 - End-tidal oxygen tension
 - End-tidal carbon dioxide tension
 - Forced Vital capacity
 - Slow vital Capacity
 - Maximum Voluntary Ventilation
 - Exercise Inspiratory Capacity
 - Exercise End-expiratory Lung Volume
 - ST segment Level
 - Double product

- EVALUATIONS:
 - Determination of Anaerobic Threshold : Methods : RER=1, V-slope, Ventilatory Equivalents
 - Interpretation of Aerobic Capacity
 - Pre-post measurements
 - Blood gases analysis
 - Calorimetry - Fat burning and Energy Expenditure
 - Calorimetry - Fat burning and Energy Expenditure
 - Calorimetry - Fat burning and Energy Expenditure
 - Facility to display spatial orientation of ST segment deviations
 - With evaluation of sudden cardiac death according to Seattle criteria

CARDIO PULMONARY EXERCISE TEST SYSTEM (Portable) 1 unit

MOBILE SPIROERGOMETRY SYSTEM

- ultralight, mobile Breath-by-Breath system (580 g)
- telemetric range of over 1,000 m (bi-directional telemetry with Bluetooth® technology)
- chest and back carrying system
 - convenient control via Smart Control, laptop or as stand-alone
 - 6-hour battery life
 - 400 hours data storage
 - constant dynamic flow control
 - free definable audio signals

Technical Data

O₂ Sensor

- type: chemical fuel cell
- range: 0-100 %
- accuracy: < 0.1 Vol %
- T90: < 100 ms
- calibration: every 14 days

CO2 Sensor
· type: NDIR
· range: 0-13 %
· accuracy: < 0.1 Vol %
· T90: < 100 ms
· calibration: 1x per month

Pressure Sensor
· range: 300-1,100 mbar

Volume Turbine, Reusable
· flow: ≤ 20,1 l/s
· accuracy: 50 ml or +/- 2 %
· resistance: ≤ 0,1 kPa/l/s @ 20 l/s
· calibration: 1x daily

Volume Turbine, Disposable
· flow: ≤ 14 l/s
· accuracy: +/- 3 %
· resistance: ≤ 0.06 kPa/l/s @ 14 l/s
· calibration: not necessary

Heart Rate
· smart BT | 3-lead ECG (optional)
12-lead ECG (optional)

Telemetry
· range: > 1,000 m
· PC interface: USB 2.0 with
Long Range Bluetooth receiver or Bluetooth USB adapter

Operating Conditions
· temperature: -10 ° to +40 °C
· ambient pressure: 500 to 1,050 mbar
· at atmospheres: ≤ 25 % O₂
· relative humidity: 0 to 100 % (non condensing)

Physical Specifications
· dimension (LxWxH): 2x (120 x 110 x 45 mm) · weight: 580 g (without battery)

Electrical Specifications
· PC interface: Bluetooth 2.1
· power supply: battery with 6 hours operating time

Quality Management
· EN ISO 9001, EN ISO 13485

Conformity · guideline 93/42/EWG + 2007/47/EG
· EN ISO 60601-1; 60601-1-2; 10993-1; 15223-1; 1041; 62304; 62366; 23747; 26782

System Requirements Operating System · Windows 7, 8, 10 (32 or 64 Bit) Windows
Server 2008, 2012 (64 Bit), 2016 (64 Bit)

2. STRESS DEVICE TREADMILL

- DIMENSIONS : length - Width: 205 - 80 cm Height: 112 cm
- WEIGHT : 163 kg.
- RUNNING BELT : 50 - 142 CM
- Height from floor : 22 cm
- MAX. PERMISSIBLE LOAD : 200 kg
- SPEED RANGE : 0-20 km/h
- SPEED INCREMENTS : 0,1 km/h
- INCLINE RANGE : 0 -25%
- INCLINE INCREMENTS : 0,5%

- SPEED MOTOR : Asynchronous 3 phases 1,5 HP, AC
- ELEVATION MOTOR : 90 Watt DC
- VOLTAGE SUPPLY : 230 v 60 Hz

3. STRESS DEVICE - ERGOMETER

Technical Specification ERGOMETER

- Display : 128x64 cm
- 20-990 watts power
- controlled mainly from PC or ECG
- User predefined stress program
- Saddle height - continuously adjustable for body heights : 120 cm – 210 cm
- dual mode adjustment of handlebars : height : 90 - 126 cm / angle of inclination: 360°.

4. ERGO SOFTWARE

- Automatic BP measurement support
- ST - settings - J point position modification
- Profile creation
- Stress-test protocol editor
- Signal freeze and review
- Trends of HR, ST, BP and load
- Automatic and manual Load control
- Electrode application indicator
- QT module
- Arrhythmia detection & analysis
- Risk scoring
- ST maps
- Maximum load prediction
- Switch to ramp function
- Calliper for manual interval measurements
- ST analysis tool

Delivery Schedule: Supply and Delivery with-in 60- days upon issuance of Notice to Proceed

- **That the prospective bidder should attached a brochure of the items/equipment offered on their bid.**
- b. That on the project “SUPPLY AND DELIVERY OF SPORTS PERFORMANCE TESTING EQUIPMENT FOR PSC SPORTS PHYSIOLOGY UNIT (Lot 4)”, the complete delivery should be with-in 60 days upon issuance of Notice to Proceed except the following:
- | | |
|----------------------|---------|
| Threadmill | 90 days |
| Echo Training System | 90 days |
| Accelerometer | 90 days |
| Force Plate | 90 days |
- **That the prospective bidder should attached a brochure of the items/equipment offered on their bid.**
- c. That on the project “SUPPLY AND DELIVERY OF SPORTS LABORATORY WITH ACCESSORIES FOR PSC SPORTS PHYSIOLOGY UNIT (Lot 7), the prospective bidder should attached a brochure of the items/equipment offered on their bid.
- d. Van Rental for Batang Pinoy National Finals 2019

That Vans will be used prior to the date of arrival of technical working staff

e. Supply and Delivery of Emergency Survival Kits for PSC Employees,

Item No.	Description	Qty	Unit
1	Survival Go Bag Single Compartment Water Resistant Bag with ID Holder	426	sets
	>Backpack Type		
	>Materials: 600 Denier Cordura and 210 Denier Polyester lining		
	>Dimensions: L x W x H 11.5" x 9" x 17"		
	>2 front pocket, subpocket outside and 9 pockets inside		
	Includes the following items:		
	● Cotton Gloves - 426 pairs		
	>Knitted poly/cotton gloves with PVC dots, one size fits all		
	● Dust Mask N95 - 426 pcs		
	>White color disposable. Welded strap attachment, adjustable		
	noseclip helps provide a custom fit and secure seal		
	● Clean Gloves - 426 pcs		
	>Disposable, powdered non sterile latex gloves		
	Facemask - 426 pcs		
	>Bacterial Filtration Efficiency, 3ply latex free, fluid resistant		
	● Plastic Trashbag - 852 pcs		
	>Can be used for several practical uses		
	>Oxio Biodegradable: sizes 22" x 24" and 26" x 32"		
	● Help Banner (Flaglet) - 426 pcs		
	>Can be used to signal for Help		
	>Size: 24" x 11.5"		
	● First Aid Kit, Mini - 426 sets		
	Includes the following:		
	>1 pc Cold Rub Ointment (10g)		
	>5 pcs sterile Gauze dressing (2x2)		
	>2 pairs sterile gloves		
	>1 pc Hovicor Hydrocortisone Cream (15g)		
	>1 pc Calmoseptine Ointment (3.5g)		
	>10 pcs paracetamol Biogesic Tablet (500mg)		
	>10 pcs Aspirin Aspilets (80mg)		
	>10 pcs Carbocisteine Solmux Mucolytic Capsule (500mg)		
	>10 pcs Certirizine Hydrochloride Tablet (10mg) / Antihistamine		
	>1 pc Providone - Iodine 10% Antiseptic Solution (120ml)		
	>1 pc Hydrogen Peroxide Agua Oxigenada 3% Antiseptic Solution (500ml)		

	>1 pc Cotton Roll (25g)		
	● Whistle - 426 pcs		
	>Streamline Design with fingerprint area makes the whistle easier		
	to hold. Produce 100 decibels of sound with lanyard		
	● Light Sticks (Glow Sticks) 426 pcs		
	>6" battery free, non heat producing , non toxic		
	● Permanent Marker - 426 pcs		
	>Permanent Ink, Xylene and Toluene free		
	● Thermal Blanket - 426 pcs		
	>Polyester plastic film coated aluminum, gold/silver		
	>Size: 160 cm x 210 cm		
	● Magic Heat pack, Reusable - 426 pack		
	>Durable hot pack, hand warmer, safe non toxic		
	● Batteries (to match flashlight)- 426 pack		
	>High quality , Heavy Duty batteries		
	>size 2A, 4pcs/pack		
	● Multi-Tool - 426 pcs		
	>Stainless Steel ABS. folded size 10cm x 5 cm, 11 in 1 special tool		
	● Portable Radio - 426 pcs		
	>Frequency Range, FM88-108MHz, AM540-1600KHz		
	power source 2 sets 1.5V Battery (2pcs AA)		
	● Duct Tape - 426 pcs		
	>Strong backing , superior adhesive , durable 48mm x 50m		
	● Emergency Scissors - 426 pairs		
	>Stainless steel blade with tough plastic handle		
	>size: 18.3cm x 9.2cm		
	● Mineral Water 500ml - 852 bottles		
	● Hard Hat - 426 pcs		
	>Color orange , suspension pinlock 6 point nylon with chin strap		
	● Toiletries - 426 sets		
	>including:Shampoo, Toothpaste, Toothbrush, mosquito replant lotion,		
	face towel, Tissue paper, napkin, Alcohol, Cotton Buds, and Soap		
	● Flashlight - 426 pcs		
	>Small Aluminum aloy, 5 bulb 3w		
	● Candles and Matches - 426 pcs		
	● Raincoat - 426 pcs		
	>Poncho Emergency light Weight, One size fits all		
	● Rainboots - 426 pairs (S, M, L)		
	>Durable Heavy Duty		
	● Slippers - 426 pairs (8, 9, 10)		
	● Rope - 426 pcs		
	>4mm, 5 meters long		
	● Pen and Paper - 426 sets		
	● Waterproof Case - 426 pcs		
	>Necklace design type, PVC ABC, 18cm x 11cm		

f. Supply and Delivery of Beddings for Dormitories located at the Rizal Memorial Sports Complex

Item No.	Description	Qty	Unit
1	Bedsheets (Fitted Sheet, Flat Sheet, 2 pcs. Pillow case)	600	Sets
	>Color: Pink		
	>Fitted Sheets (39" x 78")		
	>Flat Sheets (60" x 90")		
	>Pillow Case (20" x 30")		
	With Silk Screen Print of Philippine Sports Commission Logo with diameter of 10" on the center		
2	Pillows	600	Pcs
	>Size: 20" x 30"		
3	Fleece Blanket	600	Pcs
	>Size: 60" x 90"		
	With Silk Screen Print of Philippine Sports Commission Logo with diameter of 10" on the center		

Delivery Schedule: Supply and Delivery with-in 45 days upon issuance of Notice to Proceed

- o **That the prospective bidder should bring a sample of the items offered on their bid.**
- g. Supply and Delivery of Supplies and Equipment Management and Inventory System for Procurement, Property and Accounting Office Process Automation (REBID)
- The bidder should have a track records for software development for the past 10 years and have a track records for offering software services to a government agency for past five (5) years.
 - Delivery Schedule: Complete Delivery within 4 months or 120 calendar days upon issuance of Notice to Proceed.
- h. **Supply and Delivery of Various Appliances and Equipments for National Athletes and Coaches Dormitory**

ABC – Php 1,660,076.00

Item Description

Description	Quantity	Unit
Lot 1		
1. Android Led Tv 43"	10	units
>Features: HDMI, Micro Dimming		
>Netflix, Bluetooth		
>Chrome Cast Built-In		

Breakdown:		
1.National Athlete's and Coaches Lounge - 4		
2.Athelete's Dormitory and Laundry Area - 4		
3.Athlete's Dormitory Office/Velodrome Dorm - 2		
2.Refrigerator (2 Door)	6	units
>8.5 cu.ft.		
>features: Smells & Buster, Tempered Glass, Shelves		
Energy Efficiency		
>Dimension: (H-62", W-22", D-23")		
Breakdown:		
1.National Athlete's and Coaches Lounge -2		
2.Athelete's Dormitory and Laundry Area -2		
3.Athlete's Dormitory Office/Velodrome Dorm - 2		
3.Hot & Cold Water Dispenser	4	units
>Child Lock Feature		
>Hygienic Dispense System		
>Dual Dispense with Cooling Compressor		
>Free Standing		

Breakdown:		
1.Athlete's Dormitory Office/Velodrome Dorm - 4		
4.Stand Fan	38	units
>16" Plastic Blade		
>Easy Height Adjustment		
>3 Speed push button switch		
>Knobless head adjustment		
>High Performance Motor		
>with Thermal Fuse Protection		
>with Oscillation		
Breakdown:		
1.Athlete's Dormitory Office/Velodrome Dorm - 4		
2.Athelete's Dormitory and Laundry Area -34		
5.Oven Toaster	4	units
>10 Liters Capacity		
>Stainless Steel Body		
>60 min. Timer with Bell Ring		
>100-250° Temperature Control		
>4 pcs. Stainless Steel heating elements with Griller		

on Top		
Breakdown:		
1.Athelete's Dormitory and Laundry Area - 2		
2.National Athlete's and Coaches Lounge - 2		

6.Coffee Maker 10 Cups	6	units
>Automatic Drip Coffee		
>Simple & Easy to Use		
>Can Keep the Coffee for Long Hours		
Breakdown:		
1.National Athlete's and Coaches Lounge - 2		
2.Athelete's Dormitory and Laundry Area - 2		
3.Athlete's Dormitory Office/Velodrome Dorm - 2		
7.Microwave Oven	2	units
>Mechanical Microwave Oven		
>20 L Capacity		
>Strong and Efficient Heating Power		
>6 Power Levels		
Breakdown:		
1.Athelete's Dormitory and Laundry Area - 2		
8.Exhaust Fan	25	units
>16" Metal Blade; Wall		
Breakdown:		
1.Athelete's Dormitory and Laundry Area - 25		

9.Washing Machine	4	units
>10.0- 10.5 Kg , With Dryers		
>Heavy Duty Front Load Industrial (Washer Dryer)		
>Wash Capacity: 10.5 Kg/ 6 Kg Dry		
>Capacity Spin Speed- 1400 rpm		
>No. of Wash: 14 Programs		
>Wash Wattage: 100W		
>Spin Wattage: 450W		
Breakdown:		
1.Athlete's Dormitory Office/Velodrome Dorm - 4		
Lot 2		
10.Dining Table with Chairs	2	sets
>Malaysian Wood, 8 Seaters		
>Color: Wengue		
Breakdown:		
1.Athelete's Dormitory and Laundry Area - 2		
11.Dining Table with Chairs	3	sets

>Malaysian Wood		
>6 Seaters, Seat with Foam		

Breakdown:		
1.Athlete's Dormitory Office/Velodrome Dorm - 2		
2.National Athlete's and Coaches Lounge - 1		
12.Center Table with Top Glass	4	sets
>with Temper Glass and Wooden Base with Second Layer		
Breakdown:		
1.National Athlete's and Coaches Lounge - 4		
13.Sofa Set	6	sets
>4 Seaters only with German Leather and Uratex Foam		
>Size:(2200L x 800D x 800H)mm		
>Heavy Duty		
Breakdown:		
1.National Athlete's and Coaches Lounge - 6		

Delivery Schedule: Supply and Delivery with-in 30 days upon issuance of Notice to Proceed

- i. Supply, Delivery and Installation of Outdoor LED Electronic Display for Rizal Memorial Sports Complex and Philsports Complex

Item No.	Description	Qty	Unit
1	High Resolution Outdoor Full-Color LED Display,P6	2	Sets
	(Complete accessory with steel structure and feeder line)		
	with Auto-Brightness Sensor		
	Technical Specifications:		
	>Size: 5.0m (h) x 6.0m (w) / 30 sqm		
	>Pixel Pitch: 6.6mm		
	>LED Type: SMD2727 (White)		
	>Pixel Configuration: 1R1G1B		
	>Size of Module: 320mmx160mm		
	>Resolution of Module: 48x24		
	>Density: 22500dots/m2		
	>Size of Cabinet: 960mmx960mmx167mm (MINIMUM TOTAL SIZE/AREA OF 30 SQM)		
	>Support hanging or not: Yes		
	>Max power consumption: 600W/m2		
	>Average power consumption: 200W/m2		

	>Colors: 16.7M		
	>Grayscale: 14bits		
	>Color temperature: 3000-10000K		
	>Driving Method: 1/6 scanning		
	>Refresh frequency: 60Hz		
	>Brightness: 5000cdm2		
	>Brightness Control: 256 grade		
	>IP Grade: IP65		
	VIDEO PROCESSOR SPECS:		
	>Number/Type: 3xVideo, 1xS-Video, 1xYPbPr,		
	2xVGA (RGBHV), 1xHDMI (VESA/CEA-861),		
	1xDVI (VESA), 1xEXT. (Extended)		
	>Video System: PAL/ NTSC		
	>Composite Video Amplitude/Impedance: 1V (p_p) / 75Ω		
	>S-Video Amplitude /Impedance: Y: 1.0V (p_p) / 75Ω,		
	C: 0.35V (p_p) / 75Ω		
	>VGA Format: PC (VESA) / ≤2048x1152_60Hz		
	>VGA Amplitude /Impedance:		
	R、 G、 B = 0.7 V (p_p) / 75Ω		
	>DVI Format: PC (VESA / ≤2304x1152_60Hz		
	>HDMI Format (HDCP): PC (VESA) /≤2304x1152_60Hz		
	HDMI1.3 (CEA -861) /≤1920x1080p_60Hz		
	>YPbPr Format: SD/HD (CEA-861) /≤1920x1080P_60Hz		
	>YPbPr Amplitude /Impedance: Y= 1.0V (p_p)/75Ω		
	Pb= 0.35V (p_p)/75Ω		
	Pr= 0.35V (p_p)/75Ω		
	>SDI format: SMPTE259M-C / 480i_60Hz		
	SMPTE 292M / 576i_50Hz		
	SMPTE 274M/296M / 720p、 1080i、 1080p		
	SMPTE 424M/425M		
	>Audio Scope/Impedance: 2.0Vp-p/10KΩ		
	>Input Connectors: VGA: 15-pin D_Sub (Female)		
	DVI: 24+1 DVI_D		
	YPbPr: BNC×3		
	Video: BNC		
	S-Video: 4pin mini DIN (Female)		
	SDI: BNC		
	Outputs		
	>Number/Type: 1×VGA (RGBHV)		

	2×DVI		
	>VGA/DVI Format: 1024×768_60Hz/75Hz,		
	1280×1024_60Hz/75Hz,1600×1200_60Hz,		
	1920×1080p_50Hz/60Hz,1366×768_60Hz,1440×900_60Hz,		
	2048×1152_60Hz,2560×816_60Hz,2304×1152_60Hz,		
	1920×1200_60 Hz,1200×1600_60 Hz,1080×1920_60 Hz,		
	1536×1536_60 Hz,Customizable output format (maximum		
	horizontal pixel: 3840 or maximum vertical pixel: 1920)		
	>VGA Amplitude /Impedance: R、 G、 B = 0.7 V (p_p) / 75Ω		
	>Output Connectors: Output Connectors		
	DVI OUT1: 24+5 DVI_I		
	DVI OUT2: 24+1 DVI_D		

Delivery Schedule: Supply and Delivery with-in 90 days upon issuance of Notice to Proceed

j. **Supply and Delivery of Segregated Trashbin for All Venues of Rizal Memorial Sports Complex**

1	Segregated Trashbin with Swing Type Lid cover and Tri-Compartment Dolly with wheels (sets of three 3)	100	Sets
	>Small size (60L) , square		
	>Color coded		
	>Biodegradable (green)		
	>Non-Biodegradable (red)		
	>Recycle (blue)		
	>with marking PSC LOGO and type of trash pictograph (printed on the body not sticker)		
2	Segregated Trashbin with Swing Type Lid cover and Tri-Compartment Dolly or Steel Frame with wheels (sets of three 3)	30	Sets
	>King size (75L), square		
	>Color coded		
	>Biodegradable (green)		
	>Non-Biodegradable (red)		
	>Recycle (blue)		
	>with marking PSC LOGO and type of trash pictograph (printed on the body not sticker)		

Delivery Schedule: Supply and Delivery with-in 45 days upon issuance of Notice to Proceed

- k. That due to non availability of revised manual return in the Electronic Filing and Payment System (EFPS) and Electronic Bureau of Internal Revenue Form

(eBIRForms), Revenue District Offices (RDOs) shall receive the manually-filed returns by the taxpayers, either no payment returns or returns with payment made online. That as per Bureau of Internal Revenue (BIR) Revenue Memorandum Circular No. 37-2019 dated March 18, 2019, that the use of manual filing and paying of income tax due will be accepted by the BAC in lieu of EFPS which is subject to post-qualification if its bid found responsive.

Please be informed and be guided accordingly.

BAC Bidding Room
Ground Floor, PSC Administration Building
Rizal Memorial Sports Complex,
Pablo Ocampo Sr., St., Malate, Manila

(Sgd.) Dir. Simeon Gabriel M. Rivera
BAC Vice Chair